

What is claimed is:

1. A polyester resin composition comprising:
  - a thermoplastic polyester resin,
  - a polyester copolymer containing a monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group,
  - a layered silicate, and
  - an antioxidant,wherein:
  - the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester copolymer in an amount of 5 to 15 mol%;
  - the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester resin composition in an amount of 1 to 5 mol% based on a total polyester content of the polyester resin composition; and
  - the antioxidant is contained in the polyester resin composition in an amount of 0.01% to 1.0% by mass.
2. The polyester resin composition of claim 1, wherein the polyester copolymer contains at least one of polyethylene terephthalate and polyethylene naphthalate as a constituent monomer.
3. The polyester resin composition of claim 1, wherein at least one

of monomers constituting the polyester copolymer is the same as a monomer constituting the thermoplastic polyester resin.

4. The polyester resin composition of claim 1, wherein a content ratio of the polyester copolymer to the layered silicate is from 50% to 500% by mass.

5. The polyester resin composition of claim 1, wherein a content ratio of the polyester copolymer to the layered silicate is from 70% to 400% by mass.

6. The polyester resin composition of claim 1, wherein a content ratio of the polyester copolymer to the layered silicate is from 100% to 300% by mass.

7. The polyester resin composition of claim 1, wherein the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester copolymer in an amount of 5.5 to 12 mol%.

8. The polyester resin composition of claim 1, wherein the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester copolymer in an amount of 6 to 9 mol%.

9. The polyester resin composition of claim 1, wherein the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester resin composition in an amount of 1.3 to 4.5 mol% based on a total polyester content of the polyester resin composition.

10. The polyester resin composition of claim 1, wherein the monomer having at least one of an amino group, an imino group, an amido group, and a sulfonic acid group is contained in the polyester resin composition in an amount of 1.5 to 4.0 mol% based on a total polyester content of the polyester resin composition.

11. The polyester resin composition of claim 1, wherein the layered silicate is contained in the polyester resin composition in an amount of 0.5% to 30% by mass based on a total mass of the polyester resin composition.

12. The polyester resin composition of claim 1, wherein the layered silicate is contained in the polyester resin composition in an amount of 3% to 20% by mass based on a total mass of the polyester resin composition.

13. The polyester resin composition of claim 1, wherein the layered silicate is a swellable layered silicate organized by an organizing agent.

14. The polyester resin composition of claim 1, wherein the

antioxidant is contained in the polyester resin composition in an amount of 0.05% to 0.9% by mass.

15. The polyester resin composition of claim 1, wherein the antioxidant is contained in the polyester resin composition in an amount of 0.1% to 0.8% by mass.